

KEYED NOTE:

- 1 CONTRACTOR SHALL PROVIDE AND INSTALL FIXTURE WITH 180° HOUSE SIDE SHIELD.
- 2 CONTRACTOR SHALL CENTER PROPOSED LIGHT POLE AND BASE BETWEEN THE WATERMAIN PIPE AND STORM SEWER PIPE, AND EDGE OF ROADWAY AND FIRE HYDRANT. THE PROPOSED LIGHT POLE AND BASE SHALL HAVE A MINIMUM 2 FEET SETBACK FROM THE WATERMAIN PIPE, STORM SEWER PIPE, EDGE OF ROADWAY AND FIRE HYDRANT.

E:\PROJECTS\KVK\PACKAGES\DWG\Sheet\4013BE03.dwg March 07 2006 - 08:46


NO.	DATE	REVISION	APP'D. BY
5			
4			
3			
2	01/11/06	AS-BID DOCUMENTS	T.F.D.
1	11/18/05	100% DESIGN COMPLETION STAGE	T.F.D.

DESIGNER: S.P.H.
 DRAWN BY: S.P.H.
 CHECKER: T.F.D.
 SCALE: 1"=30'

**Edwards
and Kelcey**
 7300 N. Kendall Drive Suite 400
 Miami, Florida 33166
 EB 000070

**HILLERS ELECTRICAL
ENGINEERING, INC.**
 23257 STATE ROAD 7, SUITE 100
 BOCA RATON, FLORIDA 33428
 (561) 451-9165
 (561) 451-4886 FAX
 LICENSE NO: EB 0006877

PAUL F. HILLERS
 FL. REG. NO. 41022



CITY OF MIAMI BEACH, FLORIDA
 CAPITAL IMPROVEMENT PROJECTS OFFICE
 1700 CONVENTION CENTER DRIVE, MIAMI BEACH, FL 33139

VENETIAN ISLANDS BID PACKAGE B
BELLE ISLE R/W AND PARK IMPROVEMENTS
ROADWAY LIGHTING PLAN

File location:
 E:\PROJECTS\KVK\PACKAGES\DWG\Sheet\4013BE03
 Date: 02-16-06
 Sheet: 55 of 73 Drawing: E03